

**SPECIFICATION****EVERCOOL MODEL TC90-6 Water Circulating Temperature Control Unit**

Heating Capacity:	6kW
Maximum Operating Temperature:	90°C
Heater Control:	Solid State Relay
Cooling Capacity:	18,000 kcal/hr @90°C
Tank Capacity:	20 litres - stainless steel
Pump Type:	Submersible pump
Maximum Flow/Pressure:	60ltr/min @ 3.5 bar
Pump Power:	0.9kW
Electrical Supply:	440v - 3 ph - 60 Hz + E
Control Voltage:	24v AC
Process Connection IN/OUT:	¾" BSP
Cooling Connection IN/OUT:	½" BSP
Weight:	50 kg
Dimensions: LxWxH	330 x 610 x 690 mm
Noise Level:	Less than 80 dBA at 1 metre

**STANDARD FITTED EQUIPMENT**

PID controller  
Submersible pump which eliminates internal seal leakage  
Low watts density long life incoloy heating elements  
Plate type heat exchanger for maximum heat dispersion  
Water level sensor (Electrode)  
Castors mounted for ease of transport  
Automatic filling  
Security thermostat for heater element protection  
Solid state relay

**Optional Extras:**

Double water outlet kit  
Flow rate control  
External sensor  
PT100 process sensor  
Return of process temperature indication  
Manual filling  
Serial interface 4-20mA, RS485, 0-10 volts

